



JPA-BL1

Universal Camera

Vehicle camera system for trucks, buses and commercial vehicles

Sound and light in one unit

Night mode version available

Voice content

Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,
Longhua District, Shenzhen, China

*OEM & ODM welcome - custom logo, packaging, connectors,
cable length and firmware available on request.*

+86 188 7400 7838 (WhatsApp / WeChat)

info@jfacam.com

www.jfacam.com | www.antuvision.com

Key Features & Specifications

KEY FEATURES

- Sound and light in one unit: LED flashing beacon + alarm speaker, further improves safety
- 12-24 VDC, output 102 dB (voice version) / 97 dB white noise version (+/-4 dB @1.2M)
- Night mode version available: 97 dB / 80 dB - quiet operation for night and residential areas
- **Voice content:** Chinese reversing, turning, night mode; white noise and buzzer versions available
- 4-LED and 8-LED flashing versions, amber LED
- IP67, glass-filled nylon housing with epoxy-encapsulated electronics

TECHNICAL SPECIFICATION

DSP Chipset	FH8536H + GC2053 (2053 + 8536H)
Video Output	AHD / CVBS selectable, PAL & NTSC
Connector	4-pin aviation (RCA optional)
Power Supply	DC 12V standard (8-15V working range)
Housing	Metal housing, sealed against water and dust

Product Views & Applications



TYPICAL APPLICATIONS

Passenger Cars

Taxis & Ride-Hailing

Vans & Light Commercial

Parking Assistance

CUSTOMISATION AVAILABLE

- **Video system:** AHD 720P / 1080P or CVBS, PAL & NTSC - confirmed per order.
- **Connector:** 4-pin aviation / RCA / waterproof plug, with matching cable.
- **Cable length and pinout:** standard pigtail; 1 m / 5 m / 10 m or custom.
- **Image mode:** mirror or non-mirror image, with or without parking lines.
- **Branding:** neutral or customer-branded packaging.