



JPC-168

Universal Camera

Vehicle camera system for trucks, buses and commercial vehicles

It only works when reversing

The lens is always clean

2 million pixels 1080P

NTSC/PAL optional

Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,
Longhua District, Shenzhen, China

*OEM & ODM welcome - custom logo, packaging, connectors,
cable length and firmware available on request.*

+86 188 7400 7838 (WhatsApp / WeChat)

info@jfacam.com

www.jfacam.com | www.antuvision.com

Key Features & Specifications

KEY FEATURES

- Normally, the protective cover is closed and the camera does not work: when the vehicle is driving forward
- It only works when reversing: the protective cover opens and the camera takes pictures when reversing, and it automatically closes after reversing
- **The lens is always clean:** the ordinary rearview camera is exposed to the outside for a long time, and it becomes covered with dust after a few days
- The lens and coating have a long life: no long-term exposure to the sun, no dust or water, and no need to wipe the lens frequently
- The mechanical protective cover itself is a physical protection: anti-flying rocks, anti-scratch, anti-man-made damage
- Specialized in high dust environments: cement tank trucks (mixers), bulk cement/powder transport trucks, mining trucks

TECHNICAL SPECIFICATION

DSP Chipset	FH8536H + GC2053 (2053 + 8536H)
Video Output	AHD / CVBS selectable, PAL & NTSC
Connector	4-pin aviation (RCA optional)
Power Supply	DC 12V standard (8-15V working range)
Housing	Metal housing, sealed against water and dust

Product Views & Applications



TYPICAL APPLICATIONS

Passenger Cars

Taxis & Ride-Hailing

Vans & Light Commercial

Parking Assistance

CUSTOMISATION AVAILABLE

- **Video system:** AHD 720P / 1080P or CVBS, PAL & NTSC - confirmed per order.
- **Connector:** 4-pin aviation / RCA / waterproof plug, with matching cable.
- **Cable length and pinout:** standard pigtail; 1 m / 5 m / 10 m or custom.
- **Image mode:** mirror or non-mirror image, with or without parking lines.
- **Branding:** neutral or customer-branded packaging.