



JPC-174

Universal Camera

Vehicle camera system for trucks, buses and commercial vehicles

Built-in IR-CUT + IR LED

NTSC/PAL optional

Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,
Longhua District, Shenzhen, China

*OEM & ODM welcome - custom logo, packaging, connectors,
cable length and firmware available on request.*

+86 188 7400 7838 (WhatsApp / WeChat)

info@jfacam.com

www.jfacam.com | www.antuvision.com

Key Features & Specifications

KEY FEATURES

- **Built-in IR-CUT + IR LED:** color during the day and automatically converted to black and white at night
- The brightness of the IR LED is soft and non-dazzling, and will not interfere with the driver's driving
- Suitable for nighttime in-car monitoring: driver status, passenger area, following personnel, cargo cargo
- 1080P AHD high-definition output, clear picture
- 150° wide angle (according to current specifications), one corner installed in the car can cover the cab/passenger area
- NTSC/PAL optional

TECHNICAL SPECIFICATION

DSP Chipset	FH8536H + GC2053 (2053 + 8536H)
Video Output	AHD / CVBS selectable, PAL & NTSC
Connector	4-pin aviation (RCA optional)
Power Supply	DC 12V standard (8-15V working range)
Housing	Metal housing, sealed against water and dust

Product Views & Applications



TYPICAL APPLICATIONS

Passenger Cars

Taxis & Ride-Hailing

Vans & Light Commercial

Parking Assistance

CUSTOMISATION AVAILABLE

- **Video system:** AHD 720P / 1080P or CVBS, PAL & NTSC - confirmed per order.
- **Connector:** 4-pin aviation / RCA / waterproof plug, with matching cable.
- **Cable length and pinout:** standard pigtail; 1 m / 5 m / 10 m or custom.
- **Image mode:** mirror or non-mirror image, with or without parking lines.
- **Branding:** neutral or customer-branded packaging.