



JPC-175

Universal Camera

Vehicle camera system for trucks, buses and commercial vehicles

Adjustable reversing guide lines

Connector options

Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,
Longhua District, Shenzhen, China

*OEM & ODM welcome - custom logo, packaging, connectors,
cable length and firmware available on request.*

+86 188 7400 7838 (WhatsApp / WeChat)

info@jfacam.com

www.jfacam.com | www.antuvision.com

Key Features & Specifications

KEY FEATURES



- Metal housing camera with sun / rain shield hood - reduces glare and keeps rain off the lens
- Adjustable bracket, 4-pin aviation cable
- Suitable for outdoor rear and side mounting on trucks, buses and trailers
- AHD 720P / 1080P output options - confirm with the factory
- Can be supplied with IR night vision version
- 1080P high-definition AHD video output for a clear, detailed picture

TECHNICAL SPECIFICATION

DSP Chipset	FH8536H + GC2053 (2053 + 8536H)
Video Output	AHD / CVBS selectable, PAL & NTSC
Connector	4-pin aviation (RCA optional)
Power Supply	DC 12V standard (8-15V working range)
Housing	Metal housing, sealed against water and dust

IN DETAIL

Product Views & Applications



TYPICAL APPLICATIONS

- Passenger Cars
- Taxis & Ride-Hailing
- Vans & Light Commercial
- Parking Assistance

CUSTOMISATION AVAILABLE

- Video system: AHD 720P / 1080P or CVBS, PAL & NTSC - confirmed per order.
- Connector: 4-pin aviation / RCA / waterproof plug, with matching cable.
- Cable length and pinout: standard pigtail; 1 m / 5 m / 10 m or custom.
- Image mode: mirror or non-mirror image, with or without parking lines.
- Branding: neutral or customer-branded packaging.