



JPM-07C

7 Inch 1 Channel AHD Monitor

TFT LCD with LED backlight

Viewing angle range

Appearance color

Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,
Longhua District, Shenzhen, China

*OEM & ODM welcome - custom logo, packaging, connectors,
cable length and firmware available on request.*

+86 188 7400 7838 (WhatsApp / WeChat)

info@jfacam.com

www.jfacam.com | www.antuvision.com

Key Features & Specifications

KEY FEATURES

- 7-inch screen, resolution 1024 x R.G.B x 600, delicate picture
- **Viewing angle range:** 85° up/down, 85° left/right, both driver and co-driver can see clearly
- **Appearance color:** black, not obtrusive when installed on the dashboard or center console
- Two AHD high-definition video inputs, single image display: One machine is connected to two cameras at the same time
- V1 is connected to the main camera (rear/side view), V2 is connected to the reversing camera
- When the reverse gear is engaged, it automatically switches to the V2 reversing screen. It comes with a reversing scale line to assist in judging

TECHNICAL SPECIFICATION

Display	TFT LCD with LED backlight
Video Input	AHD / CVBS, 1ch or multi-channel (per model)
Power Supply	DC 12-36V wide voltage
Housing	Vehicle-mounted housing with bracket
Ordering	Full parameter sheet available on request

ORDERING REFERENCE / AVAILABLE VARIANTS

QTY: 10PCS G.W: 10.3KG Size: 55.5*46*17CM

Product Views & Applications



TYPICAL APPLICATIONS

Trucks & Trailers

Buses & Coaches

Forklifts

Vans & Light Commercial

Fleet & MDVR Systems

CUSTOMISATION AVAILABLE

- **Video system:** AHD 720P / 1080P or CVBS, PAL & NTSC - confirmed per order.
- **Connector:** 4-pin aviation / RCA / waterproof plug, with matching cable.
- **Cable length and pinout:** standard pigtail; 1 m / 5 m / 10 m or custom.
- **Image mode:** mirror or non-mirror image, with or without parking lines.
- **Branding:** neutral or customer-branded packaging.