



## HCJ-8803

### Mini Camera Interface Decoder

Vehicle camera system for trucks, buses and commercial vehicles

AHD / CVBS output

OEM & ODM

12V DC input

#### Shenzhen Jifuan Intelligent Technology Co., Ltd.

Building 9, West District, Zhangge Community, Fucheng Street,  
Longhua District, Shenzhen, China

OEM & ODM welcome - custom logo, packaging, connectors,  
cable length and firmware available on request.

+86 188 7400 7838 (WhatsApp / WeChat)

[info@jfacam.com](mailto:info@jfacam.com)

[www.jfacam.com](http://www.jfacam.com) | [www.antuvision.com](http://www.antuvision.com)

# Key Features & Specifications



## KEY FEATURES

- [Specialized for special vehicles] Before placing an order, you must confirm: MINI model + year + whether the host system is BIS.
- MINI BIS system dedicated decoder, model HCJ-8803
- Covers 19-21 MINI models (BIS system)
- Display the reversing image/front view/360 panoramic view on the factory harness round screen/central control screen without changing the screen
- Retain the factory harness system and all factory functions, including the factory harness circular screen interface
- Losslessly transfer the factory harness LVDS and power wiring harness without breaking the wires

## TECHNICAL SPECIFICATION

|               |                                                  |
|---------------|--------------------------------------------------|
| Function      | Original-screen video interface / decoder module |
| Input         | Original head-unit LVDS signal                   |
| Output        | Video input for front / rear / 360 cameras       |
| Compatibility | Confirmed by vehicle model and head-unit type    |
| Ordering      | Send us your head-unit model before ordering     |

# Product Views & Applications



## TYPICAL APPLICATIONS

- OEM Screen Upgrade
- Retrofit Camera Addition
- Passenger Cars
- Dealers & Installers

## CUSTOMISATION AVAILABLE

- Compatibility:** confirm the car model, year and head-unit type.
- Input:** original screen size and connector type.
- Output:** front / rear / 360 camera input as required.
- Firmware:** version matched to the head unit supplied.
- Branding:** neutral or customer-branded packaging.